



# BILL OF REINFORCING STEEL

SITE NO.

MARK	TYPE	PIN DIA.	LENGTH	Qty.	MASS	BENDING DIAGRAM
2001	17	0	3 320	64	500.39	
1602		0	18 000	122	3,447.72	
1603		0	18 000	26	734.76	
1604		0	10 200	16	256.22	
1605	17	166	7 645	4	48.01	
1606	17	166	7 100	4	44.59	
1607		0	6 925	4	43.49	
1608		0	6 800	260	2,775.76	
1609	17	166	6 550	4	41.13	
1610		0	6 375	4	40.04	
1611	17	166	6 005	4	37.71	
1612		0	5 850	4	36.74	
1613	17	166	5 455	4	34.26	
1614		0	5 300	4	33.28	
1615	17	166	4 910	4	30.84	
1616		0	4 750	4	29.83	
1617		0	4 500	49	346.19	
1618		0	4 475	7	49.18	
1619	15	0	4 395	16	110.40	
1620	17	166	4 360	4	27.38	
1621		0	4 250	2	13.35	
1622		0	4 200	4	26.38	
1623	17	0	4 120	195	1,261.34	

# BILL OF REINFORCING STEEL

SITE NO.

MARK	TYPE	PIN DIA.	LENGTH	Qty.	MASS	BENDING DIAGRAM
1624	17	0	4 020	65	410.24	
1625	17	166	3 815	4	23.96	
1626		0	3 650	4	22.92	
1627		0	3 550	260	1,449.11	
1628		0	3 255	1	5.11	
1628		0	3 090	1	4.85	
1628		0	2 925	1	4.59	
1628		0	2 760	1	4.33	
1628		0	2 595	1	4.07	
1628		0	2 430	1	3.82	
1628		0	2 265	1	3.56	
1628		0	2 100	1	3.30	
1628		0	1 940	1	3.05	
1628		0	1 775	1	2.79	
1628		0	1 610	1	2.53	
1628		0	1 445	1	2.27	
1628		0	1 280	1	2.01	
1628		0	1 115	1	1.75	
1628		0	950	1	1.49	
1628		0	785	1	1.23	
1628		0	625	1	0.98	
1628		0	3 255	1	5.11	
1628		0	3 090	1	4.85	
1628		0	2 925	1	4.59	
1628		0	2 760	1	4.33	
1628		0	2 595	1	4.07	
1628		0	2 430	1	3.82	
1628		0	2 265	1	3.56	
1628		0	2 100	1	3.30	
1628		0	1 940	1	3.05	
1628		0	1 775	1	2.79	
1628		0	1 610	1	2.53	
1628		0	1 445	1	2.27	
1628		0	1 280	1	2.01	
1628		0	1 115	1	1.75	
1628		0	950	1	1.49	
1628		0	785	1	1.23	
1628		0	625	1	0.98	
1628		0	3 255	1	5.11	
1628		0	3 090	1	4.85	
1628		0	2 925	1	4.59	
1628		0	2 760	1	4.33	
1628		0	2 595	1	4.07	
1628		0	2 430	1	3.82	
1628		0	2 265	1	3.56	
1628		0	2 100	1	3.30	
1628		0	1 940	1	3.05	
1628		0	1 775	1	2.79	
1628		0	1 610	1	2.53	
1628		0	1 445	1	2.27	
1628		0	1 280	1	2.01	
1628		0	1 115	1	1.75	
1628		0	950	1	1.49	
1628		0	785	1	1.23	
1628		0	625	1	0.98	
1628		0	3 255	1	5.11	
1628		0	3 090	1	4.85	
1628		0	2 925	1	4.59	
1628		0	2 760	1	4.33	
1628		0	2 595	1	4.07	
1628		0	2 430	1	3.82	
1628		0	2 265	1	3.56	
1628		0	2 100	1	3.30	
1628		0	1 940	1	3.05	
1628		0	1 775	1	2.79	
1628		0	1 610	1	2.53	
1628		0	1 445	1	2.27	
1628		0	1 280	1	2.01	

# BILL OF REINFORCING STEEL






SITE NO.

MARK	TYPE	PIN DIA.	LENGTH	Qty.	MASS	BENDING DIAGRAM
1628		0	1 115	1	1.75	
1628		0	950	1	1.49	
1628		0	785	1	1.23	
1628		0	625	1	0.98	
1628		0	3 255	1	5.11	
1628		0	3 090	1	4.85	
1628		0	2 925	1	4.59	
1628		0	2 760	1	4.33	
1628		0	2 595	1	4.07	
1628		0	2 430	1	3.82	
1628		0	2 265	1	3.56	
1628		0	2 100	1	3.30	
1628		0	1 940	1	3.05	
1628		0	1 775	1	2.79	
1628		0	1 610	1	2.53	
1628		0	1 445	1	2.27	
1628		0	1 280	1	2.01	
1628		0	1 115	1	1.75	
1628		0	950	1	1.49	
1628		0	785	1	1.23	
1628		0	625	1	0.98	
1628		0	3 255	1	5.11	
1628		0	3 090	1	4.85	
1628		0	2 925	1	4.59	
1628		0	2 760	1	4.33	
1628		0	2 595	1	4.07	
1628		0	2 430	1	3.82	
1628		0	2 265	1	3.56	
1628		0	2 100	1	3.30	
1628		0	1 940	1	3.05	
1628		0	1 775	1	2.79	
1628		0	1 610	1	2.53	
1628		0	1 445	1	2.27	
1628		0	1 280	1	2.01	
1628		0	1 115	1	1.75	
1628		0	950	1	1.49	
1628		0	785	1	1.23	
1628		0	625	1	0.98	
1628		0	3 255	1	5.11	
1628		0	3 090	1	4.85	
1628		0	2 925	1	4.59	
1628		0	2 760	1	4.33	
1628		0	2 595	1	4.07	
1628		0	2 430	1	3.82	
1628		0	2 265	1	3.56	
1628		0	2 100	1	3.30	
1628		0	1 940	1	3.05	
1628		0	1 775	1	2.79	
1628		0	1 610	1	2.53	
1628		0	1 445	1	2.27	
1628		0	1 280	1	2.01	
1628		0	1 115	1	1.75	
1628		0	950	1	1.49	
1628		0	785	1	1.23	
1628		0	625	1	0.98	
1628		0	3 255	1	5.11	
1628		0	3 090	1	4.85	
1628		0	2 925	1	4.59	
1628		0	2 760	1	4.33	
1628		0	2 595	1	4.07	
1628		0	2 430	1	3.82	
1628		0	2 265	1	3.56	
1628		0	2 100	1	3.30	
1628		0	1 940	1	3.05	
1628		0	1 775	1	2.79	
1628		0	1 610	1	2.53	
1628		0	1 445	1	2.27	
1628		0	1 280	1	2.01	
1628		0	1 115	1	1.75	
1628		0	950	1	1.49	
1628		0	785	1	1.23	
1628		0	625	1	0.98	
1629	17	166	3 270	4	20.54	

# BILL OF REINFORCING STEEL

SITE NO.

4

MARK	TYPE	PIN DIA.	LENGTH	Qty.	MASS	BENDING DIAGRAM
1630		0	3 150	8	39.56	
1631		0	3 100	4	19.47	
1632	17	166	2 720	4	17.08	
1633		0	2 550	4	16.01	
1634	14	0	2 185	40	137.22	
1635		0	2 150	18	60.76	
1636		0	2 000	4	12.56	
1637		0	1 850	96	278.83	
1638		0	1 850	26	75.52	
1639		0	1 500	96	226.08	
1640	10	0	1 465	18	41.40	
1141		45	3 040	52	124.09	
1142		45	2 240	52	91.44	

Total mass of reinforcing steel in kgs 13 449.60

Total volume of concrete in kgs